

Ruling of the Minister
Ministry of Municipal Affairs
and Housing
777 Bay Street, 2nd Floor
Toronto, ON, M5G 2E5
T: 416 585-4234
F: 416 585-7531
W: www.ontario.ca/buildingcode

Ministère des Affaires municipales
et du Logement
777, rue Bay, 2^e étage
Toronto, ON, M5G 2E5
T: 416 585-4234
F: 416 585-7531
W: www.ontario.ca/buildingcode



RULING 07-16-174 (13053-R)	
Minister's Ruling File Number	MR 12-14
Ruling Issued	May 29, 2007
Ruling Revised	June 21, 2012
Master Format	06 17 33.01
Corresponding CCMC Evaluation Report	CCMC 13053-R issued on March 6, 2002, and re-evaluated on March 5, 2012

Pursuant to Section 29(1)(a) of the *Building Code Act, 1992*, the Director of the Building and Development Branch, as delegate of the Minister of Municipal Affairs and Housing (the "Minister"), hereby approves the use of **POWER JOIST® PJI-40, PJI-60, PJI-80 I-JOISTS** subject to the following terms and conditions:

1. MANUFACTURER

Anthony Eacom Inc.
P.O. Box 1877
309 North Washington
El Dorado, AR 71730
U.S.A.

Tel: 870 862-3414
Fax: 870 862-6206

2. MANUFACTURING FACILITIES

Sault Ste. Marie (Ontario) Canada

3. SPECIFIC CONDITIONS

- (a) The use of **POWER JOIST® PJI-40, PJI-60, PJI-80 I-JOISTS** is approved for use as joists in respect of the requirements of Sentences 4.3.1.1.(1) and 9.23.4.2.(2) of Division B, of Ontario's 2006 Building Code, Ontario Regulation 350/06 (the "Building Code");
- (b) **POWER JOIST® PJI-40, PJI-60, PJI-80 I-JOISTS** shall comply with the *Building Code Act, 1992*; and except as specifically provided otherwise in this Ruling, with the Building Code;
- (c) A copy of this Ruling and the Canadian Construction Materials Centre Evaluation Report No. 13053-R issued on March 6, 2002, and re-evaluated on March 5, 2012 (the "CCMC Evaluation Report") shall be submitted in connection with each application for a building permit;

- (d) Notwithstanding condition 3(a) of this Ruling, floor loading/span tables shall only list acceptable limits for **POWER JOIST® PJI-40, PJI-60, PJI-80 I-JOISTS** that conform to Sentence 4.1.3.6.(1) of the Building Code;
- (e) **POWER JOIST® PJI-40, PJI-60, PJI-80 I-JOISTS** mid-span deflection calculations shall include shear deflection, as noted in Table A1 of the Appendix to the CCMC Evaluation Report No. 13053-R;
- (f) The use of the **POWER JOIST® PJI-40, PJI-60, PJI-80 I-JOISTS** must be in accordance with the CCMC Evaluation Report; provided that the references in that report to the model National Building Code of Canada, 2010 including those listed in column 1 below, shall be deemed references to Ontario's 2006 Building Code listed in column 2 below, as described in the following table; and

model National 2010 Building Code References	Ontario's 2006 Building Code References
Division A, 1.2.1.1.(1)(a) Division A, 1.2.1.1.(1)(b) Division B, 4.3.1.1.(1) Division B, Part 9 Division B, 9.3.2.5. Division B, 9.23.4.2.(2) NBC 2010 Authority Having Jurisdiction (AHJ)	Division A, 1.2.1.1.(1)(a) Division A, 1.2.1.1.(1)(b) Division B, 4.3.1.1.(1) Division B, Part 9 Division B, 9.3.2.5. Division B, 9.23.4.2.(2) Ontario's 2006 Building Code Principal Authority
column 1	column 2

- (g) This Ruling is valid only for products manufactured at the facilities outlined in Section 2. (Manufacturing Facilities) of this Ruling.

4. GENERAL CONDITIONS

- (a) The Manufacturer specified in Section 1 shall notify the Ministry of Municipal Affairs and Housing without delay of any change made to the CCMC Evaluation Report. A change to the CCMC Evaluation Report includes the CCMC Evaluation Report having expired or having been revised, re-evaluated, amended, rendered void, or withdrawn.
- (b) The Minister or his/her delegate may amend or revoke this Ruling if:
 - (i) the Manufacturer specified in Section 1 fails to notify the Ministry of any change made to the CCMC Evaluation Report, as required by Section 4.(a);
 - (ii) the Evaluation Report is revised, re-evaluated, or amended by the CCMC;

- (iii) the Evaluation Report expires in accordance with the CCMC's General Conditions for Evaluation Reports;
- (iv) the Evaluation Report is rendered void in accordance with the CCMC's General Conditions for Evaluation Reports;
- (v) the Evaluation Report is withdrawn;
- (vi) the Minister or his/her delegate determines that the use of the material, system or building design authorized by this Ruling:
 - 1) will not comply with the *Building Code Act, 1992* or any relevant law as they may be amended or re-enacted from time to time;
 - 2) provides an unsatisfactory level of performance, in situ; or
 - 3) may pose a danger to health or safety; or
- (vii) any provision of the Building Code relevant to this Ruling is amended or remade.

Dated at Toronto this 21st day of June 2012,

Brenda Lewis
Director, Building and Development Branch

The official version of this Ruling of the Minister of Municipal Affairs and Housing is the signed original in the Ministry's file. In the event of a question about content, the original in the office file takes precedence.